

**MARYSVILLE FIRE
CITY EAST - A ASSIGNMENT**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
AA	E272					
1	E272	L271			M291	
	E210					
	E282					
W	E291					PAGE CHIEFS & RING GENERAL TONE
	E601					ELECTRIC & GAS CO
						EMA & E283
2	E301					
	E261					
	E343(DC)					
3	E371(DC)	L91			M310	
	E321(DC)					
	E91	L321(DC)	T601	R601	M210	AIR 322(DC)
	E310	L301(DC)	T292	E291	S281	
	E41(LC)	L301(DC)	T301	R212	M601	
	E321(CC)	L81	T324(NL)	R91	M343(DC)	
	E301(DC)	L101	T41	R41	M321(DC)	
	E81(FC)	L21(LC)	T313	R326(NL)	M8(DCEMS)	
	E101(FC)		T374	R301(DC)	M261	
	E21(LC)		T261		M91	
			T342		M93	
					M81	
					M101	IF ADDITIONAL MEDICS ARE NEEDED
						UTILIZE MASS CASUALTY PLAN

AUTOMATIC ALARM ASSIGNMENT WILL BE DISPATCHED FOR ALL ALARM COMPANY OR DIRECT DIAL ALARMS. A FULL ASSIGNMENT WILL BE DISPATCHED FOR ALL OTHER REPORTS OF FIRE IN A RESIDENCE

(DC) TO BE DISPATCHED THROUGH DELAWARE 911
(CC) IS DISPATCHED THRU CHAMPAIGN CO
(LC) IS DISPATCHED THRU LOGAN CO

**CITY OF MARYSVILLE
CITY WEST - A ASSIGNMENT**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
AA	E272					
1	E272 E601 E282	L271			M291	
W	E291 E210					PAGE CHIEFS & RING GENERAL TONE ELECTRIC & GAS CO EMA & E283
2	E301 E261 E343(DC)					
3	E371(DC) E321(DC)	L91			M310	
	E91	L321(DC)	T601	R601	M210	AIR 322(DC)
	E310	L301(DC)	T292	E291	S281	
	E41(LC)	L301(DC)	T301	R212	M601	
	E321(CC)	L81	T324(NL)	R91	M343(DC)	
	E301(DC)	L101	T41	R41	M321(DC)	
	E81(FC)	L21(LC)	T313	R326(NL)	M8(DCEMS)	
	E101(FC)		T374	R301(DC)	M261	
	E21(LC)		T261		M91	
			T342		M93	
					M81	
					M101	IF ADDITIONAL MEDICS ARE NEEDED UTILIZE MASS CASUALTY PLAN

AUTOMATIC ALARM ASSIGNMENT WILL BE DISPATCHED FOR ALL ALARM COMPANY OR DIRECT DIAL ALARMS. A FULL ASSIGNMENT WILL BE DISPATCHED FOR ALL OTHER REPORTS OF FIRE IN A RESIDENCE

(DC) TO BE DISPATCHED THROUGH DELAWARE 911

(CC) IS DISPATCHED THRU CHAMPAIGN CO

(LC) IS DISPATCHED THRU LOGAN CO

**CITY OF MARYSVILLE
B ASSIGNMENT (ALL AREAS)**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
AA	E272					
1	E272	L271			S281	
	E210					
	E601					
	E282					
W	E301				M310	PAGE CHIEFS & RING GENERAL TONE
	E261	L91				ELECTRIC & GAS CO
	E291					EMA & E283
2	E262	L321(DC)			M8(DCEMS)	
	Q93					
	E343(DC)					
	E371(DC)					
3	E41(LC)	L301(DC)			M291	AIR 322(DC)
	E310					
	E81(FC)					
	E301(DC)					
	E101(FC)	L81	T601	R601	M210	
	E21(LC)	L101	T292	E291	S281	
		L21(LC)	E281	R212	M601	
			T301	R91	M343(DC)	
			T321(NL)	R41	M321(DC)	
			T41	R326(NL)	M261	
			T313	R301(DC)	M91	
			T374		M93	
			T261		M81	
			T342		M101	
						IF ADDITIONAL MEDICS ARE NEEDED
						UTILIZE MASS CASUALTY PLAN

A FULL B ASSIGNMENT WILL BE DISPATCHED FOR ALL HIGH RISK/ HIGH VALUE STRUCTURES WHEN NOTIFIED BY OTHER THAN AN AUTOMATIC ALARM

(DC) TO BE DISPATCHED THROUGH DELAWARE 911
 (CC) IS DISPATCHED THRU CHAMPAIGN CO
 (LC) IS DISPATCHED THRU LOGAN CO

**CITY OF MARYSVILLE
MOBILE HOME PARK ASSIGNMENT**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
1	E272				M291	
	E271					
	E210					
W	E601					PAGE CHIEFS & RING GENERAL TONE ELECTRIC & GAS CO EMA & E283
2	E281					
3	E301				M601	
	E291					
	E343(DC)	L271	T601	R601	M210	R314
	E261	L91	T292	E291	M291	R91
	E371(DC)	L321(DC)	E281	R212	M210	R326(NL)
	E91	L301(DC)	T301	R91	M261	
	E310	L81	T321(NL)	R41	M343(DC)	
	E41(LC)	L101	T41(LC)	R326(NL)	M321(DC)	
	E321(DC)	L21(LC)	T313	R301(DC)	M8(DCEMS)	
	E301(DC)		T371(DC)		M91	
	E81(FC)		T261		M93	
	E101(FC)		T341(DC)		M81	
	E21(LC)				M101	
						IF ADDITIONAL MEDICS ARE NEEDED UTILIZE MASS CASUALTY PLAN

(DC) TO BE DISPATCHED THROUGH DELAWARE 911
 (CC) IS DISPATCHED THRU CHAMPAIGN CO
 (LC) IS DISPATCHED THRU LOGAN CO

**CITY OF MARYSVILLE
EAST - INJURY ACCIDENT**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
				E272	M271	
1						
W						UTILIZE MCI PLAN FOR MULTIPLE PATIENTS
				R601	M210	
2					S281	
				R212	M601	PAGE CHIEFS
3					M291	
	E272	L271	T601	R291	M343(DC)	Medflight
	E210	L91	T292	R91	M261	
	E282	L321(DC)	T301	E371(DC)	M321(DC)	
	E291	L301(DC)	T324(NL)	R326(NL)	M8(DCEMS)	
	E601	L81	T41(LC)	R41	M310	
	E301	L101	T313	R301(DC)	M91	
	E261	L21(LC)	T371(DC)		M93	IF ADDITIONAL MEDICS ARE NEEDED
	E343(DC)		T261		M81	UTILIZE MASS CASUALTY PLAN
	E371(DC)		T341(DC)		M101	
	E321(DC)					
	E91					
	E310					
	E41(LC)					
	E321(CC)					
	E301(DC)					
	E81(FC)					
	E101(FC)					
	E21(LC)					

NOTE: When in doubt as to how many Squads/Medic's to call, the general rule of thumb is 1 Medic or Squad for each serious patient and 1 Medic or Squad for 2 patients with minor injuries. Honda's MCI response vehicle may be requested to the scene by the Incident Commander when the number of patients exceeds 25. To activate this resource call 642-5000 and inform the operator of the situation & location of the incident. This vehicle contains enough equipment to treat 50 people.

(DC) TO BE DISPATCHED THROUGH DELAWARE 911
(CC) IS DISPATCHED THRU CHAMPAIGN CO
(LC) IS DISPATCHED THRU LOGAN CO

**CITY OF MARYSVILLE
WEST - INJURY ACCIDENT**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
				E272	M271	
1						
W						UTILIZE MCI PLAN FOR MULTIPLE VICTIMS
				R212	M601	
2					S281	
				R601	M210	PAGE CHIEFS
3					M291	
	E272	L271	T601	E291	M343(DC)	Medflight
	E601	L91	T292	R326(NL)	M261	
	E282	L321(DC)	T301	R91	M211	
	E291	L301(DC)	T324(NL)	E371(DC)	M321(NL)	
	E210	L81	T41(LC)	R41	S315	
	E301	L101	T313	R301(DC)	M91	
	E261	L21(LC)	T371(DC)		M602	
	E343(DC)		T261		S316	
	E371(DC)		T341(DC)		M262	
	E321(DC)				M81	IF ADDITIONAL MEDICS ARE NEEDED
	E91				M101	UTILIZE MASS CASUALTY PLAN
	E310					
	E41(LC)					
	E321(CC)					
	E301(DC)					
	E81(FC)					
	E101(FC)					
	E21(LC)					

NOTE: When in doubt as to how many Squads/Medic's to call, the general rule of thumb is 1 Medic or Squad for each serious patient and 1 Medic or Squad for 2 patients with minor injuries. Honda's MCI response vehicle may be requested to the scene by the Incident Commander when the number of patients exceeds 25. To activate this resource call 642-5000 and inform the operator of the situation & location of the incident. This vehicle contains enough equipment to treat 50 people.

(DC) TO BE DISPATCHED THROUGH DELAWARE 911
(CC) IS DISPATCHED THRU CHAMPAIGN CO
(LC) IS DISPATCHED THRU LOGAN CO

**CITY OF MARYSVILLE
GRASS FIRE**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
	E272				S281	G271
1						
W						
	E282		T292			G210
2						G601
	E291		T601			G284
3						G295
	E211	L271	E281	R601	M601	G301
	E601	L91	T301	E291	M210	G341(DC)
	E293	L321(DC)	T324(NL)	R212	M291	G261
	Q271	L301(DC)	T41(LC)	R91	M210	G321(DC)
	E301	L81	T313	R41	M261	G310
	E311	L101	T371(DC)	R326(NL)	M343(DC)	G321(NL)
	E321(NL)	L21(LC)	T261	R301(DC)	M321(DC)	G41(CC)
	R601		T341(DC)		M8(DCEMS)	G91
	E261				M91	
	E281				M93	
	E93				M81	
	E341				M101	
	E210					
	E81					
	E262					
	E312					
	E92					
	E41					
	E263					
	E101					
	E42					

(DC) TO BE DISPATCHED THROUGH DELAWARE 911
(CC) IS DISPATCHED THRU CHAMPAIGN CO
(LC) IS DISPATCHED THRU LOGAN CO

**CITY OF MARYSVILLE
BOX 1A FIRE**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
1	E272		T371(DC)		M8(DCEMS)	L271 AT THE DISCRETION OF
	E271					ON-DUTY OFFICER
	E210					
W	E261		T301			PAGE CHIEFS & RING GENERAL TONE
	E601					ELECTRIC & GAS CO
						EMA & E283
2	E343(DC)		T281			
	E281		T313			
3	E291		T292			
	E321(DC)		T341(DC)			
	E301(DC)	L271	T313	R601	M291	AIR 322(DC)
	E310	L321(DC)	T324(NL)	E291	M601	
	Q93	L91	T41	R212	S281	
	E41(LC)	L81		R91	M91	
	E321(CC)	L101		R41	M210	
	E81(FC)	L21(LC)		R326(NL)	M341(DC)	
	E101(FC)			R301(DC)	M301(DC)	
	E21(LC)				M261	
						IF ADDITIONAL MEDICS ARE NEEDED
						UTILIZE MASS CASUALTY PLAN

(DC) TO BE DISPATCHED THROUGH DELAWARE 911
(CC) IS DISPATCHED THRU CHAMPAIGN CO
(LC) IS DISPATCHED THRU LOGAN CO

**CITY OF MARYSVILLE
BOX 1 MVA**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
				E272	M271	
1						
W						UTILIZE MCI PLAN FOR MULTIPLE PATIENTS
2				R91	M210 S281 M601	
3				R212	M341(DC) M8(DCEMS)	PAGE CHIEFS
	E210	L271	T371(DC)	R601	M91	Medflight
	E282	L321(DC)	E341(DC)	E291	M261	
	E343(DC)	L91	E282	E371(DC)	M310	
	E261	L81	T261	R326(NL)	M221(NL)	IF ADDITIONAL MEDICS ARE NEEDED
	E301	L101	T29	R41		UTILIZE MASS CASUALTY PLAN
	E291	L21(LC)	T601	R301(DC)		
	E371(DC)		T301			
	E371(DC)		T313			
	E91(FC)		T321(NL)			
	E310		T41			
	E301(DC)					

NOTE:When in doubt as to how many Squads/Medic's to call, the general rule of thumb is 1 Medic or Squad for each serious patient and 1 Medic or Squad for 2 patients with minor injuries. Honda's MCI response vehicle may be requested to the scene by the Incident Commander when the number of patients exceeds 25. To activate this resource call 642-5000 and inform the operator of the situation & location of the incident. This vehicle contains enough equipment to treat 50 people.

(DC) TO BE DISPATCHED THROUGH DELAWARE 911
(CC) IS DISPATCHED THRU CHAMPAIGN CO
(LC) IS DISPATCHED THRU LOGAN CO

**CITY OF MARYSVILLE
BOX 1 GRASS FIRE**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
	E272				M8(DCEMS)	G271
1						
W						
2			T371(DC)			G210 G371(DC)
3	E301 E210		T341(DC)			G295 G301
	E371(DC)	L271	T301	R212	M210	G341(DC)
	E343(DC)	L321(DC)	T292	R601	M291	G261
	E282	L91	T601	E371(DC)	M210	G601
	E601	L81	T261	R91	S281	G284
	E261	L101	T341(DC)	R326(NL)	M601	G321(DC)
	E601	L21(LC)	T313	R41	M343(DC)	G310
	E281		T324(NL)	R301(DC)	M321(DC)	G91
	E321(DC)		T41(LC)		M261	G41(LC)
	E41(LC)				M91	
	E301(DC)				M93	
	E81				M81	
	E101(FC)				M101	
	E81(FC)					

(DC) TO BE DISPATCHED THROUGH DELAWARE 911
(CC) IS DISPATCHED THRU CHAMPAIGN CO
(LC) IS DISPATCHED THRU LOGAN CO

**CITY OF MARYSVILLE
BOX 2A FIRE**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
1	E272		E371(DC)		M8(DCEMS)	L271 AT THE DISCRETION OF ON-DUTY OFFICER
	E271					
	E210					
W	E343(DC)		T301			PAGE CHIEFS & RING GENERAL TONE ELECTRIC & GAS CO EMA & E283
	E282					
2	E601		T261			
	Q93		E281			
3	E291		T341			
	E321(DC)		T292			
	E301(DC)	L271	T601	R212	M601	AIR 322(DC)
	E310	L321(DC)	T313	R91	S281	
	E321(DC)	L91	T321(NL)	E291	M91	
	E41(LC)	L81	T41	R601	M210	
	E321(CC)	L101		R326(NL)	M341(DC)	
	E81(FC)	L21(LC)		R41	M301(DC)	
	E101(FC)				M261	IF ADDITIONAL MEDICS ARE NEEDED UTILIZE MASS CASUALTY PLAN
	E21(LC)					

(DC) TO BE DISPATCHED THROUGH DELAWARE 911

(CC) IS DISPATCHED THRU CHAMPAIGN CO

(LC) IS DISPATCHED THRU LOGAN CO

**CITY OF MARYSVILLE
BOX 2 MVA**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
				E272	M271	
1						
W						UTILIZE MCI PLAN FOR MULTIPLE PATIENTS
2				R91	M210	
					M8(DCEMS)	
					M601	
3				R212	M341(DC)	
					S281	
	E210	L271	T371(DC)	R601	M261	Medflight
	E282	L91	E341(DC)	E291	M91	
	E343(DC)	L81	E282	E371(DC)	M261	
	E261	L21	T261	R326(NL)	M310	IF ADDITIONAL MEDICS ARE NEEDED
	E301	L101	T29	R41	M221(NL)	UTILIZE MASS CASUALTY PLAN
	E291	L321(DC)	T601	R301(DC)		
	E371(DC)		T301			
	E371(DC)		T313			
	E91(FC)		T321(NL)			
	E310		T41			
	E301(DC)					

NOTE: When in doubt as to how many Squads/Medic's to call, the general rule of thumb is 1 Medic or Squad for each serious patient and 1 Medic or Squad for 2 patients with minor injuries. Honda's MCI response vehicle may be requested to the scene by the Incident Commander when the number of patients exceeds 25. To activate this resource call 642-5000 and inform the operator of the situation & location of the incident. This vehicle contains enough equipment to treat 50 people.

(DC) TO BE DISPATCHED THROUGH DELAWARE 911
(CC) IS DISPATCHED THRU CHAMPAIGN CO
(LC) IS DISPATCHED THRU LOGAN CO

**CITY OF MARYSVILLE
BOX 3 MVA**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
				E272	M271	
1						
W						UTILIZE MCI PLAN FOR MULTIPLE PATIENTS
				R212	M601	
2					S281	
					M210	
3				R601	M261	PAGE CHIEFS
					M343(DC)	
	E272	L271	E282	R91	M321(NL)	Medflight
	E210	L91	T371(DC)	E291	M310	
	E282	L81	E341(DC)	R326(NL)	M93(FC)	
	E343(DC)	L21	T261		M81(FC)	IF ADDITIONAL MEDICS ARE NEEDED
	E261	L101	T29		M101(FC)	UTILIZE MASS CASUALTY PLAN
	E301	L321(DC)	T601			
	E291		T301			
	E371(DC)		T313			
	E371(DC)		T321(NL)			
	E91(FC)		T41			
	E310					
	E301(DC)					

NOTE:When in doubt as to how many Squads/Medic's to call, the general rule of thumb is 1 Medic or Squad for each serious patient and 1 Medic or Squad for 2 patients with minor injuries. Honda's MCI response vehicle may be requested to the scene by the Incident Commander when the number of patients exceeds 25. To activate this resource call 642-5000 and inform the operator of the situation & location of the incident. This vehicle contains enough equipment to treat 50 people.

(DC) TO BE DISPATCHED THROUGH DELAWARE 911

(CC) IS DISPATCHED THRU CHAMPAIGN CO

(LC) IS DISPATCHED THRU LOGAN CO

**CITY OF MARYSVILLE
BOX 3 GRASS FIRE**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
	E272				M210	G271
1						
W						
2			T601			G210 G284
3	E261 E343(DC)		E211			G261 G601
	E293	L271	T341(DC)	R212	M291	G291
	E371(DC)	L321(DC)	T301	R601	S281	G301
	E282	L91	T292	E371(DC)	M601	G41(LC)
	E601	L81	T261	R91	M343(DC)	G341(DC)
	E261	L101	T341(DC)	R326(NL)	M321(DC)	G321(DC)
	E601	L21(LC)	T313	R41	M8(DCEMS)	G310
	E281		T324(NL)	R301(DC)	M261	G91(FC)
	E321(DC)		T41(LC)		M91	
	E41(LC)				M93	
	E301(DC)				M81	
	E81				M101	
	E101(FC)					
	E81(FC)					

(DC) TO BE DISPATCHED THROUGH DELAWARE 911
(CC) IS DISPATCHED THRU CHAMPAIGN CO
(LC) IS DISPATCHED THRU LOGAN CO

**CITY OF MARYSVILLE
BOX 4 MVA**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
				E272	M271	
1						
W						UTILIZE MCI PLAN FOR MULTIPLE PATIENTS
2				R601	M291 S281 M601	
3				E291	M310 M210	PAGE CHIEFS
	E272	L271	T601	R326(NL)	M343(DC)	Medflight
	E601	L21	E281	R41	M8(DCEMS)	
	E210	L91	T292	R91	M261	
	E282	L81	T324(NL)	R212	M91(FC)	
	E343(DC)	L321(DC)	E263		M93(FC)	
	E261		T41		M81(FC)	IF ADDITIONAL MEDICS ARE NEEDED
	E301		T301		M101(FC)	UTILIZE MASS CASUALTY PLAN
	E291		T313			
	E371(DC)		T374			
	E371(DC)		T342			
	E91(FC)					
	E310					
	E301(DC)					

NOTE: When in doubt as to how many Squads/Medic's to call, the general rule of thumb is 1 Medic or Squad for each serious patient and 1 Medic or Squad for 2 patients with minor injuries. Honda's MCI response vehicle may be requested to the scene by the Incident Commander when the number of patients exceeds 25. To activate this resource call 642-5000 and inform the operator of the situation & location of the incident. This vehicle contains enough equipment to treat 50 people.

(DC) TO BE DISPATCHED THROUGH DELAWARE 911
(CC) IS DISPATCHED THRU CHAMPAIGN CO
(LC) IS DISPATCHED THRU LOGAN CO

**CITY OF MARYSVILLE
BOX 4 GRASS FIRE**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
	E272				M291	G271
1						
W						
2			T601			G295 G284
3	E291 E601		T301			G301 G321(NL)
	E282	L271	T341(DC)	R212	M210	G41(LC)
	E601	L321(DC)	T301	R601	S281	G301
	E261	L91	T292	E371(DC)	M601	G341(DC)
	E371(DC)	L81	T261	R91	M343(DC)	G41(LC)
	E282	L101	T341(DC)	R326(NL)	M321(DC)	G321(DC)
	E321(DC)	L21(LC)	T313	R41	M8(DCEMS)	G310
	E41(LC)		T324(NL)	R301(DC)	M261	G91(FC)
	E301(DC)		T41(LC)		M91	
	E81				M93	
	E101(FC)				M81	
	E81(FC)				M101	

(DC) TO BE DISPATCHED THROUGH DELAWARE 911
(CC) IS DISPATCHED THRU CHAMPAIGN CO
(LC) IS DISPATCHED THRU LOGAN CO

**CITY OF MARYSVILLE
CAR OR DUMPSTER FIRE**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
1	E272					
W						
2						
3						
IF IN CLOSE PROXIMITY TO A BUILDING DISPATCH THE APPROPRIATE						
STRUCTURE ASSIGNMENT						

**CITY OF MARYSVILLE
GAS LEAK ASSIGNMENT**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
	E272					
1						
W	IF MARKED A WORKING INCIDENT DISPATCH THE APPROPRIATE STRUCTURE ASSIGNMENT					
2						
3						
AUTOMATIC NOTIFICATION OF THE APPROPRIATE GAS						
COMPANY SHOULD BE MADE IMMEDIATELY AFTER FIRE						
COMPANIES ARE DISPATCHED						

**CITY OF MARYSVILLE
HAZARDOUS MATERIALS INCIDENT**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
	E272					
1						
HAZMAT WORKING INCIDENT	HAZMAT WORKING INCIDENT: DISPATCH APPROPRIATE STRUCTURE FIRE					
	ASSIGNMENT IN ADDITION TO THESE COMPANIES:					
	PAGE CHIEFS					
	RESCUE 91 (IF REQUESTED BY INCIDENT COMMANDER)					
	NAS-T (614-882-2213) (IF REQUESTED BY INCIDENT COMMANDER)					
	CHEMTREC 800-484-9300 (IF REQUESTED BY INCIDENT COMMANDER)					
	EPA 800-282-9378 (IF REQUESTED BY INCIDENT COMMANDER)					
GAS LEAK WORKING INCIDENT	DISPATCH APPROPRIATE STRUCTURE FIRE ASSIGNMENT IN ADDITION TO					
	THESE COMPANIES:					
	NOTIFICATION OF THE APPROPRIATE GAS COMPANY SHOULD BE MADE					
	IMMEDIATELY AFTER FIRE COMPANIES ARE DISPATCHED					
PETROLEU M LEAK WORKING INCIDENT	DISPATCH APPROPRIATE STRUCTURE FIRE ASSIGNMENT IN ADDITION TO					
	THESE COMPANIES:					
	EMA TRAILER					

**CITY OF MARYSVILLE
PETROLEUM SPILL**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
1	E272					
W	DISPATCH THE APPROPRIATE STRUCTURE ASSIGNMENT					
	WITH THE EMA TRAILER					
2						
3						

**CITY OF MARYSVILLE
CONFINED SPACE RESCUE**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
	E272	L271		R91	M291	R601 W/TRAILER
1					M210	PAGE CHIEFS
W						
2						
3						
NOTE: OTHER COMPANIES MAY BE SPECIAL CALLED AS NEEDED						

(DC) TO BE DISPATCHED THROUGH DELAWARE 911
 (CC) IS DISPATCHED THRU CHAMPAIGN CO
 (LC) IS DISPATCHED THRU LOGAN CO

**CITY OF MARYSVILLE
TORNADO WARNING APPARATUS DEPLOYMENT PLAN**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
In the event that a tornado is sighted in the county, MFD station tones will be sounded for alert						
1						
W						
2						
3						
All equipment will remain at Station 271. Command Post will be located						
on Station 271 unless otherwise directed						

**CITY OF MARYSVILLE
TRENCH RESCUE ASSIGNMENT**

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
	E272	L271			M291	R91 W/TRAILER
1					M210	R601 W/TRAILER
						PAGE CHIEFS
W						
2						
3						
NOTE: COMPANIES MAY BE SPECIAL CALLED TO SCENE						

(DC) TO BE DISPATCHED THROUGH DELAWARE 911
(CC) IS DISPATCHED THRU CHAMPAIGN CO
(LC) IS DISPATCHED THRU LOGAN CO

WATER/ICE RESCUE ASSIGNMENT

ALARMS	ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	SPECIAL EQUIPMENT
1	E272	L271			M601	PAGE CHIEFS
	B271				M210	
	G271					
	B272					
W						
2	E210				M291	B91(FC)
					M261	B341(DC)
3	E601				S281	B92(FC)
	E291				M310	B301(DC)

(DC) TO BE DISPATCHED THROUGH DELAWARE 911
(CC) IS DISPATCHED THRU CHAMPAIGN CO
(LC) IS DISPATCHED THRU LOGAN CO

**CITY OF MARYSVILLE
COMPANIES**

ENGINES	LADDERS	TANKERS	RESCUES	MEDICS	GRASS	AIR
E41	L21	T41	R41	M81	G41	R41
E42	L81	E211	R91	M91	G91	R283
E81	L91	E263	R212	M93	G210	E293
E891	L101	E281	Q271	M92	G261	R314
E93	L271	T292	E282	M101	E274	
E92	Q271	T301	E291	M210	E284	
E101	L321(DC)	T313	R326(NL)	S211	E294	
E210		T324	R601	M261	E295	
E211		T342		M262	G301	
E261		T374		M271	TR310	
E262		T601		M272	G321	
E263				S281	G601	
Q271				M291		
E271				S315		
E272				S316		
E281				M321		
E282				M601		
E291				M602		
E293						
E301						
E311						
E312						
E321(NL)						
E601						
R601						
L271						